Key-Word Index

Abies spp.
Phenology of cone and shoot development of noble fir and some associated true firs. **16:356**

Abies amabilis
Within-crown patterns of transpiration, water stress, and stomatal activity in *Abies amabilis*. **16:490**

Abies balsamea
Inoculations with *Stereum sanguinolentum* and *Fomes pini* in black spruce and balsam fir. **16:160**

Abies procera
Phenology of cone and shoot development of noble fir and some associated true firs. **16:356**

abscisic acid
Influence pf (RS)-abscisic acid on budbreak in white spruce seedlings. **16:210**

Acer rubrum
Upland oak response to fertilization with nitrogen, phosphorus, and calcium. **16:113**

aerial survey (*see* **forest survey**)

air pollution
Air pollution and the chlorotic dwarf disease of eastern white pine. **16:46**
Some effects of a soluble NPK fertilizer on sensitivity of eastern white pine to injury from SO_2 air pollution. **16:72**

air temperature
Shoot growth patterns of young loblolly pine. **16:472**
Temperature affects growth and development of Engelmann spruce. **16:447**

albedo (*see* **radiant energy**)

Albizia procera
Root suckering in *Albizia procera*. **16:146**

alder, red (*see* **Alnus rubra**)

Alnus rubra
Inhibition of *Poria weirii* and *Fomes annosus* by linoleic acid. **16:329**

animal damage
Deer browsing and rumen microbial fermentation of Douglas-fir as affected by fertilization and growth stage. **16:21**
Locating tree seed caches of small mammals with a radioisotope. **16:147**
Upland oak response to fertilization with nitrogen, phosphorus, and calcium. **16:113**

animal nutrition
Deer browsing and rumen microbial fermentation of Douglas-fir as affected by fertilization and growth stage. **16:21**
Upland oak response to fertilization with nitrogen, phosphorus, and calcium. **16:113**

Areal distribution of trees (*see* **spatial distribution of trees**)

ash content
Influence of mineral content on the pyrolysis of plant materials. **16:461**
Relation of silica content to flammability in grasses. **16:64**

aspen, quaking (*see* **Populus tremuloides**)

auxin (*see* **growth regulators**)

biomass
Biomass of *Pinus resinosa* in relation to potassium nutrition. **16:154**

brown-spot needle blight (*see* **Scirrhia acicola**)

budbreak (*see* **phenology**)

^{14}C-photosynthate (*see* **photosynthesis**)

calcium (*see* **fertilizers, foliar analysis**)

campground use
Camping use-axle count relationship: Estimation with desirable properties. **16:493**

carbohydrate reserves (*see* **food reserves**)

carbon dioxide (*see* **photosynthesis**)

Ceratocystis ulmi
A natural hybrid between American and Siberian elms. **16:149**

chemistry, plant (*see* **plant chemistry, foliar analysis, seed physiology, ash content, fertilization**)

chlorotic dwarf disease
Air pollution and the chlorotic dwarf disease of eastern white pine. **16:46**

cluster sampling (*see* **sampling methods**)

compound exponential process (*see* **stand growth**)

cone and seed insects
Distribution of dimethoate-P^{32} in Douglas-fir following stem injection. **16:106**

cone crop (*see* **flowering and fruiting**)

costs and returns
The composite internal rate of return. **16:276**

crown structure
Crown development and site estimates in a Douglas-fir plantation spacing test. **16:287**
Dynamics of tree and crown structure in *Eucalyptus obliqua*. **16:321**
Relative efficiency of two-dimensional systematic sampling. **16:271**

cytokinens (*see* **growth regulators**)

decay (*see* **woodrots**)

deer browse (*see* **animal damage; animal nutrition**)

defoliation
Effects of artificial defoliation on the growth of cork oak. **16:364**

density (*see* **stand density, spatial distribution of trees**)

diameter measurement (*see* **measurement techniques**)

disease resistance
Brown-spot resistance in longleaf pine. **16:204**
Inhibition of *Poria weirii* and *Fomes annosus* by linoleic acid. **16:329**
Thirty-year effects of uncontrolled brown spot on planted longleaf pine. **16:197**

dormancy (*see* **phenology**)

double sampling (*see* **sampling methods**)

Douglas-fir (*see* **Pseudotsuga menziesii**)

drought (*see* **soil moisture**)

drought rings
Drought ring formation in conifers. **16:246**

drying rates
Drying rates of heartwood below fiber saturation. **16:57**
Fuel moisture response—drying relationships under standard and field conditions. **16:121**

Key-Word Index

Abies spp.
Phenology of cone and shoot development of noble fir and some associated true firs. **16:356**

Abies amabilis
Within-crown patterns of transpiration, water stress, and stomatal activity in *Abies amabilis*. **16:490**

Abies balsamea
Inoculations with *Stereum sanguinolentum* and *Fomes pini* in black spruce and balsam fir. **16:160**

Abies procera
Phenology of cone and shoot development of noble fir and some associated true firs. **16:356**

abscisic acid
Influence pf (RS)-abscisic acid on budbreak in white spruce seedlings. **16:210**

Acer rubrum
Upland oak response to fertilization with nitrogen, phosphorus, and calcium. **16:113**

aerial survey (*see* **forest survey**)

air pollution
Air pollution and the chlorotic dwarf disease of eastern white pine. **16:46**
Some effects of a soluble NPK fertilizer on sensitivity of eastern white pine to injury from SO_2 air pollution. **16:72**

air temperature
Shoot growth patterns of young loblolly pine. **16:472**
Temperature affects growth and development of Engelmann spruce. **16:447**

albedo (*see* **radiant energy**)

Albizia procera
Root suckering in *Albizia procera*. **16:146**

alder, red (*see* **Alnus rubra**)

Alnus rubra
Inhibition of *Poria weirii* and *Fomes annosus* by linoleic acid. **16:329**

animal damage
Deer browsing and rumen microbial fermentation of Douglas-fir as affected by fertilization and growth stage. **16:21**
Locating tree seed caches of small mammals with a radioisotope. **16:147**
Upland oak response to fertilization with nitrogen, phosphorus, and calcium. **16:113**

animal nutrition
Deer browsing and rumen microbial fermentation of Douglas-fir as affected by fertilization and growth stage. **16:21**
Upland oak response to fertilization with nitrogen, phosphorus, and calcium. **16:113**

Areal distribution of trees (*see* **spatial distribution of trees**)

ash content
Influence of mineral content on the pyrolysis of plant materials. **16:461**
Relation of silica content to flammability in grasses. **16:64**

aspen, quaking (*see* **Populus tremuloides**)

auxin (*see* **growth regulators**)

biomass
Biomass of *Pinus resinosa* in relation to potassium nutrition. **16:154**

brown-spot needle blight (*see* **Scirrhia acicola**)

budbreak (*see* **phenology**)

^{14}C-photosynthate (*see* **photosynthesis**)

calcium (*see* **fertilizers, foliar analysis**)

campground use
Camping use-axle count relationship: Estimation with desirable properties. **16:493**

carbohydrate reserves (*see* **food reserves**)

carbon dioxide (*see* **photosynthesis**)

Ceratocystis ulmi
A natural hybrid between American and Siberian elms. **16:149**

chemistry, plant (*see* **plant chemistry, foliar analysis, seed physiology, ash content, fertilization**)

chlorotic dwarf disease
Air pollution and the chlorotic dwarf disease of eastern white pine. **16:46**

cluster sampling (*see* **sampling methods**)

compound exponential process (*see* **stand growth**)

cone and seed insects
Distribution of dimethoate-P^{32} in Douglas-fir following stem injection. **16:106**

cone crop (*see* **flowering and fruiting**)

costs and returns
The composite internal rate of return. **16:276**

crown structure
Crown development and site estimates in a Douglas-fir plantation spacing test. **16:287**
Dynamics of tree and crown structure in *Eucalyptus obliqua*. **16:321**
Relative efficiency of two-dimensional systematic sampling. **16:271**

cytokinens (*see* **growth regulators**)

decay (*see* **woodrots**)

deer browse (*see* **animal damage; animal nutrition**)

defoliation
Effects of artificial defoliation on the growth of cork oak. **16:364**

density (*see* **stand density, spatial distribution of trees**)

diameter measurement (*see* **measurement techniques**)

disease resistance
Brown-spot resistance in longleaf pine. **16:204**
Inhibition of *Poria weirii* and *Fomes annosus* by linoleic acid. **16:329**
Thirty-year effects of uncontrolled brown spot on planted longleaf pine. **16:197**

dormancy (*see* **phenology**)

double sampling (*see* **sampling methods**)

Douglas-fir (*see* **Pseudotsuga menziesii**)

drought (*see* **soil moisture**)

drought rings
Drought ring formation in conifers. **16:246**

drying rates
Drying rates of heartwood below fiber saturation. **16:57**
Fuel moisture response—drying relationships under standard and field conditions. **16:121**

Dutch elm disease (*see* **Ceratocystis ulmi**)

economics (*see* **costs and returns**)

ectomycorrhizae (*see* **mycorrhizae**)

elm, American (*see* **Ulmus americana**)

elm, Siberian (*see* **Ulmus pumila**)

Eucalyptus spp.
Water stress in three species of eucalyptus. **16:74**

Eucalyptus obliqua
Dynamics of tree and crown structure in *Eucalyptus obliqua*. **16:321**

experimental methods (*see* **research techniques**)

extractives, wood (*see* **food reserves**)

fertilizers, fertilization
Biomass of *Pinus resinosa* in relation to potassium nutrition. **16:154**
Deer browsing and rumen microbial fermentation of Douglas-fir as affected by fertilization and growth stage. **16:21**
Greenhouse pot experiments with pine seedlings: Methods for reducing variability. **16:432**
Nitrogen and potassium fertilization of loblolly pine on a South Carolina Piedmont soil. **16:172**
Response of pine and mixed hardwood stands in the Tennessee Valley to nitrogen and phosphorus fertilization. **16:130**
Seedling growth of three Scotch pine provenances with varying moisture and fertility treatments. **16:43**
Some effects of a soluble NPK fertilizer on sensitivity of eastern white pine to injury from SO_2 air pollution. **16:72**
Upland oak response to fertilization with nitrogen, phosphorus, and calcium. **16:113**

fire behavior
The modeling of fire whirlwinds. **16:386**

fire control
Effects of slash burning in overmature stands of the Douglas-fir region. **16:258**

fire effects
Effects of slash burning in overmature stands of the Douglas-fir region. **16:258**
Sprouting of old-growth coastal redwood stumps on slopes. **16:339**

fire hazard
Drying rates of heartwood below fiber saturation. **16:57**
Effects of slash burning in overmature stands of the Douglas-fir region. **16:258**
Fuel moisture response—drying relationships under standard and field conditions. **16:121**
Influence of mineral content on the pyrolysis of plant materials. **16:461**
Ratios of surface area to volume for common fine fuels. **16:101**
Relation of silica content to flammability in grasses. **16:64**

firs (*see* **Abies spp.**)

fir, balsam (*see* **Abies balsamea**)

fir, noble (*see* **Abies procera**)

fir, Pacific silver (*see* **Abies amabilis**)

flag trees
Prevailing winds on Whiteface Mountain as indicated by flag trees. **16:222**

flammability (*see* **fire hazard**)

flooding effects
Effect of water regimes on the survival, growth, and morphology of tupelo seedlings. **16:304**
Growth of newly planted water tupelo seedlings after flooding and siltation. **16:250**

flowering and fruiting
Effects of branch girdling on the production of male and female strobili in longleaf pine. **16:195**
Effect of soil water stress on initiation of ovulate primordia in loblolly pine. **16:219**
Flowering in young sweetgum plantations. **16:70**
Phenology of cone and shoot development of Noble fir and some associated true firs. **16:356**

foliar analysis (*also see* **plant chemistry, wood tissue analysis**)
Deer browsing and rumen microbial fermentation of Douglas-fir as affected by fertilization and growth stage. **16:21**
Development of the shoot system of young loblolly pine: 1. Apical growth and nitrogen concentration. **16:483**
A device for continuous monitoring of changes in leaf thickness. **16:56**
Growth of newly planted water tupelo seedlings after flooding and siltation. **16:250**
A natural hybrid between American and Siberian elm. **16:149**
Nitrogen and potassium fertilization of loblolly pine on a South Carolina Piedmont soil. **16:172**
Response of pine and mixed hardwood stands in the Tennessee Valley to nitrogen and phosphorus fertilization. **16:130**
Upland oak response to fertilization with nitrogen, phosphorus, and calcium. **16:113**

Fomes annosus
Inhibition of *Poria weirii* and *Fomes annosus* by linoleic acid. **16:329**
Inoculation of southern pine seedlings with *Fomes annosus* under aseptic conditions. **16:280**

Fomes pini
Inoculations with *Stereum sanguinolentum* and *Fomes pini* in black spruce and balsam fir. **16:160**

food reserves, tree
Effect of seed origin on tracheid length, specific gravity, and volume of shortleaf pine in Oklahoma. **16:66**
Evidence for the hormonal control of stump sprouting by oak. **16:165**
Redistribution of ^{14}C-labeled reserve food in young red pines during shoot elongation. **16:14**
Respiratory and biochemical changes during germination of longleaf and slash pine seeds. **16:350**
Root carbohydrate reserves in vegetative reproduction of aspen. **16:318**
Seasonal pathways of ^{14}C-photosynthate in red pine labeled in May, July, and October. **16:2**

forest cover identification (*see* **forest survey**)

forest fertilization (*see* **fertilizers**)

forest fuels (*see also* **grass fuels**)
Drying rates of heartwood below fiber saturation. **16:57**
Fuel moisture response—drying relationships under standard and field conditions. **16:121**
Influence of mineral content on the pyrolysis of plant materials. **16:461**
Ratios of surface area to volume for common fine fuels. **16:101**

forest survey
Comparison of methods for assessing spatial distribution of trees. **16:312**
Loblolly pine growth on forest survey plots in Mississippi. **16:342**
Nonimaging optical differentiation of forest foliage. **16:79**
Point sampling theory in the framework of equal-probability cluster sampling. **16:240**
Relative efficiency of two-dimensional systematic sampling. **16:271**

frost damage
Phenology of cone and shoot development of noble fir and some associated true firs. **16:356**

fuel moisture (*see* **forest fuels**)

fuel size (*see* **forest fuels**)

genetic improvement (*see* **tree breeding**)

gibberellins (*see* **growth regulators**)

girdling
Effects of branch girdling on the production of male and female strobili in longleaf pine. **16:195**

grafting
Double grafts in Douglas-fir. **16:249**

grass fires
Root suckering in *Albizia procera*. **16:146**

grass fuels
Relation of silica content to flammability in grasses. **16:64**

growth and development (*see also* **stand growth**)
Development of the shoot system of young loblolly pine: 1. Apical growth and nitrogen concentration. **16:483**
Dynamics of tree and crown structure in *Eucalyptus obliqua*. **16:321**
Effect of water regimes on the survival, growth, and morphology of tupelo seedlings. **16:304**
Moisture stress affects root regeneration and early growth of red oak seedlings. **16:495**
Phenology of cone and shoot development of noble fir and some associated true firs. **16:356**
Shoot growth patterns of young loblolly pine. **16:472**
Temperature affects growth and development of Engelmann spruce. **16:447**

growth regulators, plant
Effect of gibberellic acid on germination and initial seedling growth of northern red oak. **16:453**
Evidence for the hormonal control of stump sprouting by oak. **16:165**
Inhibition of *Poria weirii* and *Fomes annosus* by linoleic acid. **16:329**

humidity
Shoot growth patterns of young loblolly pine. **16:472**

hybrids, hybridization
A natural hybrid between American and Siberian elms. **16:149**

indole-acetic acid (*see* **growth regulators**)

insect damage (*also see* **defoliation**)
Effects of artificial defoliation on the growth of cork oak. **16:364**

insecticide
Distribution of dimethoate-P^{32} in Douglas-fir following stem injection. **16:106**

instrument (*see* **research techniques**)

interest rate (*see* **costs and returns**)

Juglans nigra
Variations of some wood features in five black walnut trees. **16:95**

light
Evidence for the hormonal control of stump sprouting by oak. **16:165**
Influence of high light intensity on planted Engelmann spruce. **16:331**
Shoot growth patterns of young loblolly pine. **16:472**

Liquidambar styraciflua
Flowering in young sweetgum plantations. **16:70**
Root suckering in *Albizia procera*. **16:146**

logging damage
Sprouting of old-growth coastal redwood stumps on slopes. **16:339**

lumber seasoning
Drying rates of heartwood below fiber saturation. **16:57**
Fuel moisture response—drying relationships under standard and field conditions. **16:121**

maple, red (*see* **Acer rubrum**)

measurement techniques
Camping use-axle count relationship: Estimation with desirable properties. **16:493**
A device for continuous monitoring of changes in leaf thickness. **16:56**
Rounding effects in simple linear regression. **16:301**
Stand density measures: An interpretation. **16:403**
A system for continuously monitoring oleoresin exudation pressure in slash pine. **16:346**

messmate (*see* **Eucalyptus obliqua**)

mixed hardwoods
The radiant energy budget of clearcut and forested sites in West Virginia. **16:139**
Response of pine and mixed hardwood stands in the Tennessee Valley to nitrogen and phosphorus fertilization. **16:130**

moisture stress (*see* **plant water stress; foliar analysis**)

monitoring (*see* **measurement techniques; research techniques**).

morphology
Effect of water regimes on the survival, growth, and morphology of tupelo seedlings. **16:304**

mortality
Effect of water regimes on the survival, growth, and morphology of tupelo seedlings. **16:304**
Influence of high light intensity on survival of planted Engelmann spruce. **16:331**
Sapling stand development: a compound exponential process. **16:177**

mycorrhizae
Influence of temperature on aseptic synthesis of ectomycorrhizae by *Thelephora terrestris* and *Pisolithus tinctorius* on loblolly pine. **16:424**

natural regeneration
Effects of slash burning in overmature stands of the Douglas-fir region. **16:258**

net radiation (*see* **radiant energy**)

nitrogen (*see* **fertilizers; foliar analysis**)

Nyssa aquatica
Effect of water regimes on the survival, growth, and morphology of tupelo seedlings. **16:304**

Growth of newly planted water tupelo seedlings after flooding and siltation. **16:250**

Nyssa sylvatica
Effect of water regimes on the survival, growth, and morphology of tupelo seedlings. **16:304**

oaks, (*see* **Quercus spp.**)

oak, cork (*see* **Quercus suber**)

oak, pin (*see* **Quercus palustris**)

oak, red (*see* **Quercus rubra**)

oak, scarlet (*see* **Quercus coccinea**)

oak, white (*see* **Quercus alba**)

oleoresin exudation pressure
A system for continuously monitoring oleoresin exudation pressure in slash pine. **16:346**

osmotic potential (*see* **plant water stress, –deficit**)

ozone
Air pollution and the chlorotic dwarf disease of eastern white pine. **16:46**

phenology
Flowering in young sweetgum plantations. **16:70**
Influence of (RS)-abscisic acid on budbreak in white spruce seedlings. **16:210**
Phenology of cone and shoot development of noble fir and some associated true firs. 16:**356**

phosphorus (*see* **fertilizers, foliar analysis**)

photosynthesis
CO_2-supplemented atmosphere increases growth of *Pinus strobus* seedlings. **16:459**
Influence of high light intensity on survival of planted Engelmann spruce. **16:331**
Redistribution of ^{14}C-labeled reserve food in young red pines during shoot elongation. **16:14**
Seasonal pathways of ^{14}C-photosynthate in red pine labeled in May, July, and October. **16:2**

Picea engelmannii
Influence of high light intensity on survival of planted Engelmann spruce. **16:331**
Temperature affects growth and development of Engelmann spruce. **16:447**

Picea glauca
Drought ring formation in conifers. **16:246**
Influence of (RS)-abscisic acid on budbreak in white spruce seedlings. **16:210**

Picea mariana
Black spruce growth and yield at various densities in the Ontario Clay Belt. **16:183**
Inoculations with *Stereum sanguinolentum* and *Fomes pini* in black spruce and balsam fir. **16:160**

pine (*see* **Pinus spp.**)

pine, eastern white (*see* **Pinus strobus**)

pine, loblolly (*see* **Pinus taeda**)

pine, lodgepole (*see* **Pinus contorta**)

pine, longleaf (*see* **Pinus palustris**)

pine, ponderosa (*see* **Pinus ponderosa**)

pine, red (*see* **Pinus resinosa**)

pine, Scotch (*see* **Pinus sylvestris**)

pine, shortleaf (*see* **Pinus echinata**)

pine, slash (*see* **Pinus elliottii**)

pine, sugar (*see* **Pinus lambertiana**)

Pinus spp.
Greenhouse pot experiments with pine seedlings: Methods for reducing variability. **16:432**
Response of pine and mixed hardwood stands in the Tennessee Valley to nitrogen and phosphorus fertilization. **16:130**

Pinus contorta
Influence of high light intensity on survival of planted Engelmann spruce. **16:331**

Pinus echinata
Effect of seed origin on tracheid length, specific gravity, and volume of shortleaf pine in Oklahoma. **16:66**
Variation in shortleaf pine from several geographic sources. **16:415**

Pinus elliottii
Depth of water table and redox potential of soil affect slash pine growth. **16:399**
Inoculation of southern pine seedlings with *Fomes annosus* under aseptic conditions. **16:280**
Respiratory and biochemical changes during germination of longleaf and slash pine seeds. **16:350**
A system for continuously monitoring oleoresin exudation pressure in slash pine. **16:346**

Pinus lambertiana
Protein synthesis in sugar pine embryos: isolation and characterization of a cell-free embryo system. **16:212**

Pinus palustris
Brown-spot resistance in longleaf pine. **16:204**
Effects of branch girdling on the production of male and female strobili in longleaf pine. **16:195**
Respiratory and biochemical changes during germination of longleaf and slash pine seeds. **16:350**
Thirty-year effects of uncontrolled brown spot on planted longleaf pine. **16:197**
Variation in longleaf pine from several geographic sources. **16:28**

Pinus ponderosa
Influence of soil water on root growth capacity of ponderosa pine transplants. **16:230**

Pinus resinosa
Biomass of *Pinus resinosa* in relation to potassium nutrition. **16:154**
Drought ring formation in conifers. **16:246**
Redistribution of ^{14}C-labeled reserve food in young red pines during shoot elongation. **16:14**
Seasonal pathways of ^{14}C-photosynthate in red pine labeled in May, July, and October. **16:2**

Pinus strobus
Air pollution and the chlorotic dwarf disease of eastern white pine. **16:46**
CO_2-supplemented atmosphere increases growth of *Pinus strobus* seedlings. **16:459**
Locating tree seed caches of small mammals with a radioisotope. **16:147**
Some effects of a soluble NPK fertilizer on sensitivity of eastern white pine to injury from SO_2 air pollution. **17:72**

Pinus sylvestris
Seedling growth of three Scotch pine provenances with varying moisture and fertility treatments. **16:43**

Pinus taeda
Development of the shoot system of young loblolly pine: 1. Apical growth and nitrogen concentration. **16:483**
Effect of soil water stress on initiation of ovulate primordia in loblolly pine. **16:219**

Influence of temperature on aseptic synthesis of ectomycorrhizae by *Thelephora terrestris* and *Pisolithus tinctorius* on loblolly pine. **16:424**
Inoculation of southern pine seedlings with *Fomes annosus* under aseptic conditions. **16:280**
Loblolly pine growth on forest survey plots in Mississippi. **16:342**
Nitrogen and potassium fertilization of loblolly pine on a South Carolina Piedmont soil. **16:172**
Shoot growth patterns of young loblolly pine. **16: 472**

Pisolithus tinctorius
Influence of temperature on aseptic synthesis of ectomycorrhizae by *Thelephora terrestris* and *Pisolithus tinctorius* on loblolly pine. **16:424**

plant chemistry (*also see* **foliar analysis, seed physiology, wood tissue analysis**)
Development of the shoot system of young loblolly pine: 1. Apical growth and nitrogen concentration. **16:483**
Influence of mineral content on the pyrolysis of plant materials. **16:461**
Relation of silica content to flammability in grasses. **16:64**

plant water stress, deficit
A device for continuous monitoring of changes in leaf thickness. **16:56**
Influence of high light intensity on survival of Engelmann spruce. **16:331**
Water stress in three species of eucalyptus. **17:74**
Within-crown patterns of transpiration water stress, and stomatal activity in *Abies amabilis*. **16:490**

plantation spacing
Crown development and site estimates in a Douglas-fir plantation spacing test. **16:287**

point sampling (*see* **sampling methods**)

pollination
An attempt to induce polyhaploidy in American elm. **16:137**
Brown-spot resistance in longleaf pine. **16:204**
Tetraploid aspen production using unreduced triploid pollen. **16:180**

polyploidy
An attempt to induce polyhaploidy in American elm. **16:137**
A natural hybrid between American and Siberian elms. **16:149**
Tetraploid aspen production using unreduced triploid pollen. **16:180**

Populus tremuloides
Root carbohydrate reserves in vegetative reproduction of aspen. **16:318**
Tetraploid aspen production using unreduced triploid pollen. **16:180**

Poria weirii
Inhibition of *Poria weirii* and *Fomes annosus* by linoleic acid. **16:329**

Porthetria dispar
Effects of artificial defoliation on the growth of cork oak. **16:364**

potassium (*see* **fertilizers, foliar analysis**)

productivity (*see* **biomass, stand growth**)

protein synthesis
Protein synthesis in sugar pine embryos: isolation and characterization of a cell-free embryo system. **16:212**

provenance
Effect of seed origin on tracheid length, specific gravity, and volume of shortleaf pine in Oklahoma. **16:66**
Flowering in young sweetgum plantations. **16:70**
Seedling growth of three Scotch pine provenances with varying moisture and fertility treatments. **16:43**
Variation in longleaf pine from several geographic sources. **16:28**
Variation in shortleaf pine from several geographic sources. **16:415**

Pseudotsuga menziesii
Crown development and site estimates in a Douglas-fir plantation spacing test. **16:287**
Deer browsing and rumen microbial fermentation of Douglas-fir as affected by fertilization and growth stage. **16:21**
Distribution of dimethoate-P^{32} in Douglas-fir following stem injection. **16:106**
Double grafts in Douglas-fir. **16:249**
Effects of slash burning in overmature stands of the Douglas-fir region. **16:258**

pyrolysis (*see* **fire hazard**)

Quercus spp.
Response of pine and mixed hardwood stands in the Tennessee Valley to nitrogen and phosphorus fertilization. **16:130**

Quercus alba
Evidence for the hormonal control of stump sprouting by oak. **16:165**
Upland oak response to fertilization with nitrogen, phosphorus, and calcium. **16:113**

Quercus coccinea
Upland oak response to fertilization with nitrogen, phosphorus, and calcium. **16:113**

Quercus palustris
Evidence for the hormonal control of stump sprouting by oak. **16:165**

Quercus rubra
Effect of gibberellic acid on germination and initial seedling growth of northern red oak. **16:453**
Moisture stress affects root regeneration and early growth of red oak seedlings. **16:495**
Root regeneration and early growth of red oak seedlings: Influence of soil temperature. **16:442**

Quercus suber
Effects of artificial defoliation on the growth of cork oak. **16:364**

radiant energy
The radiant energy budget of clearcut and forested sites in West Virginia. **16:139**

radioisotope (*see* **research techniques**)

rate of return (*see* **costs and returns**)

recreation (*see* **campground use, etc.**)

redox potential
Depth of water table and redox potential of soil affect slash pine growth. **16:399**
Growth of newly planted water tupelo seedlings after flooding and siltation. **16:250**

redwood (*see* **Sequoia sempervirens**)

remote sensing
Nonimaging optical differentiation of forest foliage. **16:79**

research techniques (*also see* **measurement techniques**)
A device for continuous monitoring of changes in leaf thickness. **16:56**

Greenhouse pot experiments with pine seedlings: Methods for reducing variability. **16:432**
Inoculation of southern pine seedlings with *Fomes annosus* under aseptic conditions. **16:280**
Locating tree seed caches of small mammals with a radioisotope. **16:147**
Prevailing winds on Whiteface Mountain as indicated by flag trees. **16:222**

respiration
Effect of gibberellic acid on germination and initial seedling growth of northern red oak. **16:453**
Influence of high light intensity on survival of planted Engelmann spruce. **16:331**
Respiratory and biochemical changes during germination of longleaf and slash pine seeds. **16:350**

ribosomes
Protein synthesis in sugar pine embryos: isolation and characterization of a cell-free embryo system. **16:212**

root growth
Effect of water regimes on the survival, growth, and morphology of tupelo seedlings. **16:304**
Influence of soil water on root growth capacity of ponderosa pine transplants. **16:230**
Moisture stress affects root regeneration and early growth of red oak seedlings. **16:495**
Root regeneration and early growth of red oak seedlings: Influence of soil temperature. **16:442**

root suckering (*see* **vegetative reproduction**)

sampling methods
Comparison of methods for assessing spatial distribution of trees. **16:312**
Point sampling theory in the framework of equal-probability cluster sampling. **16:240**
Relative efficiency of two-dimensional systematic sampling. **16:271**

Scirrhia acicola
Brown-spot resistance in longleaf pine. **16:204**
Thirty-year effects of uncontrolled brown spot on planted longleaf pine. **16:197**
Variation in longleaf pine from several geographic sources. **16:28**

seed collection zone
Variation in longleaf pine from several geographic sources. **16:28**
Variation in shortleaf pine from several geographic sources. **16:415**

seed dispersal and fate
Locating tree seed caches of small mammals with at radioisotope. **16:147**
Phenology of cone and shoot development of Noble fir and some associated true firs. **16:356**

seed insects (*see* **cone and seed insects**)

seed orchards
Double grafts in Douglas-fir. **16:249**
Effect of soil water stress on initiation of ovulate primordia in loblolly pine. **16:219**

seed physiology
Effect of gibberellic acid on germination and initial seedling growth of northern red oak. **16:453**
Protein synthesis in sugar pine embryos: Isolation and characterization of a cell-free embryo system. **16:212**
Respiratory and biochemical changes during germination of longleaf and slash pine seeds. **16:350**

seed production (*see* **flowering and fruiting**)

Sequoia sempervirens
Sprouting of old-growth coastal redwood stumps on slopes. **16:339**

shoot development (*see* **growth and development**)

silica
Influence of mineral content on the pyrolysis of plant materials. **16:461**
Relation of silica content to flammability in grasses. **16:64**

siltation
Growth of newly planted water tupelo seedlings after flooding and siltation. **16:250**

site factors
Black spruce growth and yield at various densities in the Ontario Clay Belt. **16:183**
Crown development and site estimates in a Douglas-fir plantation spacing test. **16:287**
Flowering in young sweetgum plantations. **16:70**
Sprouting of old-growth coastal redwood stumps on slopes. **16:339**

slash burning
Effects of slash burning in overmature stands of the Douglas-fir region. **16:258**
Sprouting of old growth coastal redwood stumps on slopes. **16:339**

soil fungi (*see also* **mycorrhizae**)
Inhibition of *Poria weirii* and *Fomes annosus* by linoleic acid. **16:329**

soil moisture
Depth of water table and redox potential of soil affect slash pine growth. **16:399**
Drought ring formation in conifers. **16:246**
Effect of soil water stress on initiation of ovulate primordia in loblolly pine. **16:219**
Growth of newly planted water tupelo seedlings after flooding and siltation. **16:250**
Influence of high light intensity on survival of planted Engelmann spruce. **16:331**
Influence of soil water on root growth capacity of ponderosa pine transplants. **16:230**
Moisture stress affects root regeneration and early growth of red oak seedlings. **16:495**
Seedling growth of three Scotch pine provenances with varying moisture and fertility treatments. **16:43**
Water stress in three species of eucalyptus. **16:74**

soil temperature
Root regeneration and early growth of red oak seedlings: Influence of soil temperature. **16:442**
Influence of temperature on aseptic synthesis of ectomycorrhizae by *Thelephora terrestris* and *Pisolithus tinctorius* on loblolly pine. **16:424**

solarization (*see* **light, radiant energy**)

spacing (*see* **plantation spacing; spatial distribution of trees**)

spatial distribution of trees
Comparison of methods for assessing spatial distribution of trees. **16:312**
Relative efficiency of two-dimensional systematic sampling. **16:271**

specific gravity (*see* **wood properties**)

spruce, black (*see* **Picea mariana**)

spruce, Engelmann (*see* **Picea engelmannii**)

spruce, white (*see* **Picea glauca**)

stand density
Black spruce growth and yield at various densities in the Ontario Clay Belt. **16:183**

Dynamics of tree and crown structure in *Eucalyptus obliqua*. **16:321**
Sampling stand development: A compound exponential process. **16:177**
Stand density measures: An interpretation. **16:403**

stand growth
Black spruce growth and yield at various densities in the Ontario clay belt. **16:183**
Crown development and site estimates in a Douglas-fir plantation spacing test. **16:287**
Loblolly pine growth on forest survey plots in Mississippi. **16:342**
Nitrogen and potassium fertilization of loblolly pine on a South Carolina Piedmont soil. **16:172**
Responses of pine and mixed hardwood stands in the Tennessee Valley to nitrogen and phosphorus fertilization. **16:130**
Sapling stand development: a compound exponential process. **16:177**
Thirty-year effects of uncontrolled brown spot on planted longleaf pine. **16:197**
Upland oak response to fertilization with nitrogen, phosphorus, and calcium. **16:113**
Variation in longleaf pine from several geographic sources. **16:28**

Stereum sanguinolentum
Inoculations with *Stereum sanguinolentum* and *Fomes pini* in black spruce and balsam fir. **16:160**

strobili production (*see* **flowering and fruiting**)

stump sprouting (*see* **vegetative reproduction**)

sulfur dioxide (*see* **air pollution**)

sweetgum (*see* **Liquidambar styraciflua**)

temperature (*see* **soil temperature; air temperature**)

Thelephora terrestris
Influence of temperature on aseptic synthesis of ectomycorrhizae by *Thelephora terrestris* and *Pisolithus tinctorius* on loblolly pine. **16:424**

theses lists
Forestry theses accepted by colleges and universities in the United States. Supplement July 1968–June 1969. **16:368**

tracheid length (*see* **wood properties**)

translocation
Distribution of dimethoate-P^{32} in Douglas-fir following stem injection. **16:106**
Redistribution of ^{14}C-labeled reserve food in young red pines during shoot elongation. **16:14**
Seasonal pathways of ^{14}C-photosynthate in red pine labeled in May, July, and October. **16:2**

transpiration
Influence of (RS)-abscisic acid on budbreak in white spruce seedlings. **16:210**
Water stress in three species of eucalyptus. **16:74**
Within-crown patterns of transpiration, water stress, and stomatal activity in *Abies amabilis*. **16:490**.

tree breeding
An attempt to induce polyhaploidy in American elm. **16:137**
Brown-spot resistance in longleaf pine. **16:204**
Thirty-year effects of uncontrolled brown spot on planted longleaf pine. **16:197**

tree distribution (*see* **spatial distribution of trees**)

tupelo, swamp (*see* **Nyssa sylvatica**)

tupelo, water (*see* **Nyssa aquatica**)

Ulmus americana
An attempt to induce polyhaploidy in American elm. **16:137**
A natural hybrid betweeen American and Siberian elms. **16:149**

Ulmus pumila
A natural hybrid between American and Siberian elms. **16:149**

vegetative reproduction
Evidence for the hormonal control of stump sprouting by oak. **16:165**
Root carbohydrate reserves in vegetative reproduction of aspen. **16:318**
Root suckering in *Albizia procera*. **16:146**
Sprouting of old-growth coastal redwood stumps on slopes. **16:339**

walnut, black (*see* **Juglans nigra**)

water stress (*see* **soil moisture, plant water stress**)

weight of wood (*see* **wood properties**)

wind effects
Prevailing winds of Whiteface Mountain as indicated by flag trees. **16:222**

wood properties
Drought ring formation in conifers. **16:246**
Effect of seed origin on tracheid length, specific gravity, and volume of shortleaf pine in Oklahoma. **16:66**
Variations of some wood features in five black walnut trees. **16:95**

wood tissue analysis
Development of the shoot system of young loblolly pine: 1. Apical growth and nitrogen concentration. **16:483**

woodrots
Inhibition of *Poria weirii* and *Fomes annosus* by linoleic acid. **16:329**
Inoculation of southern pine seedlings with *Fomes annosus* under aseptic conditions. **16:280**
Inoculations with *Stereum sanguinolentum* and *Fomes pini* in black spruce and balsam fir. **16:160**

yield tables
Black spruce growth and yield at various densities in the Ontario Clay Belt. **16:183**

Author Index

Abbott, Herschel G., 16:147
Adams, Robert E., 16:212
Aldrich, Robert C., 16:367
Allen, S. E., 16:432
Barnett, J. P., 16:350
Barnett, Lewis B., 16:212
Bengtson, G. W., 16:130, 432
Berry, Charles R., 16:72
Bey, C. F., 16:95
Bollen, W. B., 16:329
Boyer, William D., 16:472
Bower, D. R., 16:301
Bowersox, T. W., 16:113
Boyce, S. G., 16:95
Bridgwater, Floyd E., 16:66
Brookes, Martha H., 16:368
Brown, Claud L., 16:304, 346
Brown, James H., 16:43
Brown, James K., 16:101
Bryan, W. Craig, 16:424
Byram, George M., 16:386
Cambini, Anna, 16:364
Chaney, W. R., 16:56
Connolly, Guy E., 16:21
Copes, Donald L., 16:249
Cotrufo, Cosimo, 16:72
Cox, Gene S., 16:165
Curlin, J. W., 16:130
Curtin, R. A., 16:321
Curtis, Robert O., 16:287, 403
Davey, Charles B., 16:424
Denyer, W. B. G., 16:160
Derr, H. J., 16:204
Dewers, Robert S., 16:219
Dochinger, Leon S., 16:46
Egan, W. G., 16:79
Einspahr, Dean W., 16:180
Elsner, Gary H., 16:493
Evert, F., 16:183
Farmer, R. E., Jr., 16:130
Fosberg, Michael A., 16:57, 121
Franklin, Jerry F., 16:356
Funsch, R. W., 16:459
Gauditz, I., 16:106
Genthe, M. K., 16:447
Glerum, C., 16:246
Gordon, John C., 16:14
Haissig, Bruce E., 16:210
Hellmers, H., 16:447
Helseth, Frank A., 16:346
Heyligers, P. C., 16:146
Hinckley, Thomas M., 16:490
Holroyd, Edmond W., III, 16:222
Hook, Donal D., 16:304
Hornbeck, J. W., 16:139
Jenkinson, James L., 16:230
Johnson, N. E., 16:106
Jones, Milton B., 16:21
Kaeiser, M., 16:95
Kennedy, H. E., Jr., 16:250
King, James P., 16:210
Koenigs, J. W., 16:280
Kramer, Paul J., 16:74
Lancaster, James W., 16:121
Langdon, O. Gordon, 16:304
Larson, M. M., 16:442, 495
Larson, Philip R., 16:14
Leaf, Albert L., 16:154
Leak, William B., 16:177
Lester, Donald T., 16:137
Li, C. Y., 16:329
Longhurst, William M., 16:21
Lu, K. C., 16:329
Madgwick, H. A. I., 16:154
Magnoler, Aldo, 16:364
Martin, Robert E., 16:386
Marty, Robert, 16:276
Marx, Donald H., 16:424
Mattson, R. H., 16:459
McKee, W. H., Jr., 16:399
Melder, T. W., 16:204
Mellen, William J., 16:147
Moehring, David M., 16:219
Mohn, C. A., 16:70
Morris, William G., 16:258
Mowry, G. R., 16:459
Mutch, R. W., 16:64
Naylor, A. W., 16:350
Nelson, L. E., 16:483
Nutter, Wade L., 16:100
Oh, John H., 16:21
Osborn, Katherine H., 16:368
Payandeh, Bijan, 16:271, 312
Philpot, C. W., 16:64, 461
Posey, Clayton E., 16:66
Powers, Robert F., 16:339
Quink, Thomas F., 16:147
Quraishi, M. A., 16:74
Randall, W. K., 16:70
Rediske, J. H., 16:106
Reukema, Donald L., 16:287
Ritchie, Gary A., 16:356, 490
Romberger, John A., 16:171
Ronco, Frank, 16:331, 447
Santamour, Frank S., Jr., 16:149
Schier, George A., 16:2
Schreuder, Hans T., 16:240
Schroeder, Mark J., 16:121
Seliskar, Carl E., 16:46
Shih, Ding-Shing, 16:212
Shoulders, Eugene, 16:399
Smith, W. H., 16:483
Stone, E. L., 16:138
Stone, Edward C., 16:230
Stubbs, Jack, 16:304
Switzer, G. L., 16:483
Terman, G. L., 16:432
Tew, Ronald K., 16:318
Trappe, J. M., 16:329
Van Hooser, Dwane D., 16:342
Varnell, R. J., 16:195
Vogt, Albert R., 16:165, 453
Wakeley, Philip C., 16:28, 197, 415
Walker, Nat, 16:66
Ward, W. W., 16:113
Waters, William E., 16:202
Wells, Carol G., 16:172
Wells, Osborn O., 16:28, 415
White, E. H., 16:154
Whitmore, F. W., 16:495
Whitney, R. D., 16:160
Wiant, Harry V., Jr., 16:339
Winton, Lawson, 16:180
Xydias, G. K., 16:154

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

(Act of October 23, 1962; Section 4369, Title 39, United States Code)

Publisher: File two copies of this form with your postmaster.
Postmaster: Complete verification on page 2

Form Approved
Budget Bureau No. 46-R029

1. DATE OF FILING: October 1970

2. TITLE OF PUBLICATION: FOREST SCIENCE

3. FREQUENCY OF ISSUE: Quarterly

4. LOCATION OF KNOWN OFFICE OF PUBLICATION *(Street, city, county, state, ZIP code)*: 1010 Sixteenth Street, N.W., Washington, D.C. 20036

5. LOCATION OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS *(Not printers)*: 1010 Sixteenth Street, N.W., Washington, D.C. 20036

6. NAMES AND ADDRESSES OF PUBLISHER, EDITOR, AND MANAGING EDITOR

PUBLISHER *(Name and address)*: Society of American Foresters 1010 Sixteenth Street, N.W., Washington, D.C. 20036

EDITOR *(Name and address)*: Earl L. Stone, Department of Agronomy, Cornell University, Ithaca, N.Y. 14850

MANAGING EDITOR *(Name and address)*: None

7. OWNER *(If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given.)*

NAME	ADDRESS
Society of American Foresters	1010 Sixteenth Street, N.W., Washington, D.C. 20036

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES *(If there are none, so state)*

NAME	ADDRESS
None	

9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES *(Section 132.122, Postal Manual)*

(Check one)

The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes

[X] Have not changed during preceding 12 months

[ ] Have changed during preceding 12 months

(If changed, publisher must submit explanation of change with this statement.)

10. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NUMBER OF COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES PRINTED *(Net Press Run)*	1,850	1,950
B. PAID CIRCULATION 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES		
2. MAIL SUBSCRIPTIONS	1,589	1,765
C. TOTAL PAID CIRCULATION	1,589	1,765
D. FREE DISTRIBUTION *(including samples)* BY MAIL, CARRIER OR OTHER MEANS	10	10
E. TOTAL DISTRIBUTION *(Sum of C and D)*	1,599	1,775
F. OFFICE USE, LEFT-OVER, UNACCOUNTED, SPOILED AFTER PRINTING	251	175
G. TOTAL *(Sum of E & F—should equal net press run shown in A)*	1,850	1,950

I certify that the statements made by me above are correct and complete.

(Signature of editor, publisher, business manager, or owner)

Nancy Hill, Business Manager

POD Form 3526 May 1968